

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	GARY ADJ SULLIVAN	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/26 08:17
L2	5	SULLIVAN.INV. AND GIFFIN.INV.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/26 08:18
L3	80	SULLIVAN.INV. NEAR5 GARY	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/26 08:18
L4	1261	GATEWAY.ASN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/26 08:19
L5	26	4 AND 3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/26 08:21
L6	8	((("6880019") or ("6789057") or ("6832380") or ("6862103"))).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/26 10:16
L7	6	6 AND (TRANSLAT\$4 OR CONVER\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/26 08:24
L8	5	(UNREADABLE NEAR5 CLIENT) WITH FORMAT	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/26 08:25
L9	26	UNREADABLE WITH FILE WITH FORMAT	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/26 08:26
L10	11	9 AND (CONVER\$6 AND TRANSLAT\$\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/26 08:27

L11	14	("4502128"   "4641264"   "5497319"   "5528491"   "5535120"   "5541836"   "5579224"   "5587903"   "5677835"   "5751957"   "5805832"   "5848386"   "5983169"   "5987402").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/26 08:27
L12	12	11 AND (CONVER\$6 AND TRANSLAT\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/26 08:32
L13	1336	SERVER NEAR5 (CONVER\$6 AND TRANSLAT\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/26 08:29
L14	2684	SERVER WITH (CONVER\$6 AND TRANSLAT\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/26 08:29
L15	1	14 AND 12	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/26 08:32
L16	3475	717/122-140.CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/26 08:32
L17	999	16 AND (CONVER\$6 AND TRANSLAT\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/26 09:01
L18	28097	FORMAT NEAR5 (TRANSLAT\$4 OR CONVERS\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/26 08:33
L19	171	18 AND 17	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/26 08:33
L20	14	19 AND (PLURALITY NEAR4 SERVER\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/26 08:34

L21	24826	LOAD NEAR2 BALANC\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/26 08:34
L22	894	18 AND 21	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/26 08:34
L23	6	22 AND 16	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/26 08:35
L24	279	SELECT\$4 NEAR3 SERVER NEAR4 (TRANSLAT\$4 OR CONVER\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/26 08:37
L25	149	24 AND @AD<"20010604"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/26 08:40
L26	11	CLIENT NEAR3 (CHOOSE\$1 OR SELECT\$2) NEAR3 SERVER NEAR4 (TRANSLAT\$4 OR CONVER\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/26 08:39
L27	236	(CHOOSE\$1 OR SELECT\$2) NEAR3 SERVER NEAR4 (TRANSLAT\$4 OR CONVER\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/26 08:40
L28	1	27 AND 16	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/26 08:39
L29	35	((CHOOSE\$1 OR SELECT\$2) ADJ5 SERVERS) WITH (TRANSLAT\$4 OR CONVER\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/26 08:53
L30	17	29 AND @AD<"20010604"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/26 08:53

L31	165821	(CHOOSE\$1 OR SELECT\$2) WITH (TRANSLAT\$4 OR CONVER\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/26 09:46
L32	318	31 AND 16	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/26 08:53
L33	197	32 AND @AD<"20010604"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/26 09:05
L34	21824	((PLURALITY OR MULTIPLE OR GROUP\$1) ADJ2 SERVER\$1) OR (SERVER ADJ POOL\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/26 08:54
L35	3833	34 AND 21	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/26 08:55
L36	0	35 AND 33	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/26 08:55
L37	306	31 AND 35	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/26 08:55
L38	4288	MIME	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/26 08:55
L39	22	38 AND 37	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/26 09:00
L40	515	715/522-523.CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/26 09:00

L41	11	40 AND 21	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/26 09:01
L42	8	41 AND (CONVER\$6 AND TRANSLAT\$\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/26 09:13
L43	4	GUI AND 42	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/26 09:02
L44	22	34 AND 40	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/26 09:03
L45	4	44 AND GUI	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/26 09:04
L46	67	HIGHEST ADJ (TRANSLAT\$4 OR CONVERSION\$1) ADJ (THRESHOLD OR RATE\$1 OR RATING\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/26 09:05
L47	222	(MAXIMUM OR HIGHEST) ADJ (TRANSLAT\$4 OR CONVERSION\$1) ADJ (THRESHOLD OR RATE\$1 OR RATING\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/26 09:17
L48	122	47 AND @AD<"20010604"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/26 09:18
L49	10	48 AND (CONVER\$6 AND TRANSLAT\$\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/26 09:14
L50	6	((("5,949,977") or ("6,038,625") or ("6, 128,647"))).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/26 09:09
L51	3	("5949977").URPN.	USPAT	OR	OFF	2005/11/26 09:10

L52	63	("6038625").URPN.	USPAT	OR	OFF	2005/11/26 09:11
L53	9	("6128647").URPN.	USPAT	OR	OFF	2005/11/26 09:11
L54	15	(51 OR 52 OR 53) AND (CONVER\$6 AND TRANSLAT\$)\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/26 09:27
L55	7	("5781910"   "5815793"   "5949977"   "5951694"   "6047324"   "6101616"   "6178441").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/26 09:14
L56	1	55 AND (CONVER\$6 AND TRANSLAT\$)\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/26 09:14
L57	18346	(TRANSLAT\$4 OR CONVERSION\$1) ADJ (SCALE\$1 OR THRESHOLD OR RATE\$1 OR RATING\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/26 09:43
L58	1	57 AND 40	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/26 09:17
L59	40490	"709"/\$.CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/26 09:17
L60	56	59 AND 57	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/26 09:17
L61	26	60 AND @AD<"20010604"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/26 09:27
L62	8	SERVER\$1 NEAR3(TRANSLAT\$4 OR CONVERSION\$1) ADJ (SCALE\$1 OR THRESHOLD OR RATE\$1 OR RATING\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/26 09:21
L63	0	VAUGHN.INV. AND WILLIAM AND HUGHE\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/26 09:22

L64	0	"VAUGHN.XA.", .XP. AND WILLIAM AND HUGHE\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/26 09:22
L65	0	"VAUGHN.XA.,XP."	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/26 09:22
L66	0	"VAUGHN.XA..XP."	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/26 09:22
L67	934	VAUGHN.XA.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/26 09:23
L68	125	VAUGHN.XP.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/26 09:23
L69	1	68 AND HUGHE\$1.INV.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/26 09:23
L70	47	("20020073398"   "5202977"   "5283887"   "5410675"   "5557518"   "5557780"   "5592656"   "5630060"   "5634127"   "5757917"   "5758126"   "5768564"   "5794234"   "5802497"   "5812669"   "5819271"   "5862325"   "5960200"   "5970475"   "5970490"   "5987135"   "5987256"   "6044205"   "6078924"   "6085203"   "6088717"   "6094684"   "6112181"   "6138119"   "6195662"   "6226675"   "6247172"   "6249910"   "6253368"   "6256676"   "6272495"   "6292936"   "6311223"   "6343373"   "6353923"   "6377953"   "6381616"   "6434115"   "6453356"   "6496865"   "6523170"   "6618854"). PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/26 09:26
L71	111	VMWARE	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/26 09:27

L72	40	71 AND (CONVER\$6 AND TRANSLAT\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/26 09:27
L73	13	72 AND @AD<"20010604"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/26 09:42
L74	3	UNREADABLE AND 40	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/26 09:41
L75	1760	(conver\$5 or translat\$4) near4 (second adj2 format)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/26 09:41
L76	11481	assign\$3 near3 (rat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/26 09:42
L77	104	75 and 76	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/26 09:42
L78	100	77 AND @AD<"20010604"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/26 09:44
L79	6533	assign\$3 near3 (rate or rating)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/26 09:42
L80	0	79 and 78	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/26 09:42
L81	1097	conversion adj format	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/26 09:43



L82	45318	(TRANSLAT\$4 OR CONVERSION\$1) near3 (SCALE\$1 OR THRESHOLD OR RATE\$1 OR RATING\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/26 10:05
L83	70	81 and 82	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/26 09:43
L84	33	83 AND @AD<"20010604"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/26 09:50
L85	51	server\$1 near5(TRANSLAT\$4 OR CONVERSION\$1) near3 (SCALE\$1 OR THRESHOLD OR RATE\$1 OR RATING\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/26 09:45
L86	21	85 AND @AD<"20010604"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/26 09:45
L87	2	34 same((TRANSLAT\$4 OR CONVERSION\$1) near3 (SCALE\$1 OR THRESHOLD OR RATE\$1 OR RATING\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/26 09:46
L88	1	34 same((TRANSLAT\$4 OR CONVERSION\$1) adj2 (SCALE\$1 OR THRESHOLD OR RATE\$1 OR RATING\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/26 09:46
L89	22557	((TRANSLAT\$4 OR CONVERSION\$1) adj2 (SCALE\$1 OR THRESHOLD OR RATE\$1 OR RATING\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/26 09:49
L90	24503	(CHOOSE\$1 OR SELECT\$2) near4 server\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/26 09:47
L91	110	89 and 90	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/26 09:47

L92	29	91 AND @AD<"20010604"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/26 09:48
L93	5185	709/204-206.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/26 09:48
L94	0	709/245-247.ccls	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/26 09:48
L95	3387	709/245-247.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/26 09:48
L96	42131	(TRANSLAT\$4 OR CONVERSION\$1) with format\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/26 10:08
L97	2168	82 and 96	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/26 09:49
L98	37	97 and 34	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/26 09:49
L99	9	98 AND @AD<"20010604"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/26 09:52
L100	677	21 and 96 and 34	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/26 09:52
L101	210	100 AND @AD<"20010604"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/26 10:01

L102	1097	81 and 96	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/26 10:01
L103	85	90 and 102	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/26 10:01
L104	55	103 AND @AD<"20010604"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/26 10:14
L105	234085	(minimum or max or min or highest or lowest or conversion or translat\$4) near3 (SCALE\$1 OR THRESHOLD OR RATE\$1 OR RATING\$1 or load\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/26 10:06
L106	612	redirect\$4 same (load near3 balanc\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/26 10:07
L107	68	106 and 105	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/26 10:07
L108	10	96 and 107	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/26 10:07
L109	99	("5951694").URPN.	USPAT	OR	OFF	2005/11/26 10:08
L110	44126	(TRANSLAT\$4 OR CONVERSION\$1 or converting or convert) near4 format\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/26 10:08
L111	1	110 and 109	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/26 10:08

L112	36	("4417322"   "4441829"   "4445795"   "5050071"   "5173853"   "5202977"   "5283887"   "5317568"   "5341477"   "5412566"   "5434852"   "5461611"   "5473608"   "5491693"   "5491800"   "5499343"   "5506985"   "5509123"   "5590281"   "5774660"   "5774668"   "5828847"   "5832451"   "5862348"   "5867706"   "5951694"   "6078960"   "6128279"   "6138159"   "6175869"   "6182139"   "6185601"   "6185619"   "6249801"   "6272523"   "6279001"). PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/26 10:09
L113	177	("5774668").URPN.	USPAT	OR	OFF	2005/11/26 10:11
L114	358	("5774660").URPN.	USPAT	OR	OFF	2005/11/26 10:11
L115	28	("5506985").URPN.	USPAT	OR	OFF	2005/11/26 10:12
L116	14	("5412566").URPN.	USPAT	OR	OFF	2005/11/26 10:13
L117	482	(112 or 113 or 14 or 115 or 116) and 110	USPAT	OR	OFF	2005/11/26 10:13
L118	34	117 and 105	USPAT	OR	OFF	2005/11/26 10:13
L119	31	118 AND @AD<"20010604"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/26 10:14